

## 121 Firms—Most Yet—Give Air Conditioner Data

DETROIT—In this the biggest specifications section ever published by AIR CONDITIONING & REFRIGERATION NEWS, 121 firms—14% more than last year—present specifications on their 1958 lines of air conditioning equipment.

In these 20 pages are included data on 51 lines of self-contained packaged commercial air conditioners, 25 lines of heat pumps, 41 lines of room air conditioners, and 87 lines of residential equipment.

This compares with 51 commercial, eight heat pump, 39 room air conditioner, and 75 residential lines by 106 companies last year.

Significant is the continued expansion of manufacturers into

Represented here is the equipment of almost every major producer in the country and most of the smaller firms operating on a regional basis.

Each type of equipment is presented separately. Lines are listed by brand name. Where brand names are different from the company name, they are listed in parentheses in the index below.

Obviously, all possible combinations of equipment made by an individual manufacturer could not be listed for space reasons alone. The commercial listings

### Part Two

... contains the complete air conditioning specifications listings for 1958. No specifications appear in Part I of this issue. That section is devoted to fresh, up-to-the-minute articles on successful, thought-provoking sales methods and applications for air conditioning equipment.

Pennsylvania Furnace & Iron Co. were not yet ready to announce their lines. Iron Fireman Mfg. Co., which recently purchased the Timken Silent Automatic line from Scaife Co., was also not ready to announce data on this line. Fresh'nd-Aire Co. was not able to make the deadline.

Several others did not return questionnaires.

Two who had lines represented in last year's specifications report, told the News they were not offering air conditioning equipment this year. They are Richmond Plumbing Fixture Div. of Rheem Mfg. Co., and Hunter Div., Robbins & Myers, Inc.

Combustion Engineering, Inc. reported that it discontinued its air conditioning operation completely in January, 1957 to make room for additional manufacturing operations in the nuclear field.

Brunner equipment, which appeared separately last year, is now found under the Dunham-Bush listing.

have been limited to self-contained packaged equipment.

Where both air cooled and water-cooled equipment have practically the same specifications, only one type is listed. The other is mentioned in a footnote.

In remote residential equipment, where the possible combinations are innumerable, the most common ones have been spelled out and the others indicated in footnotes.

However, it must be emphasized, that the data presented is that offered by the manufacturer and does not represent any evaluation by the NEWS. Only editing has been in the interest of space considerations.

Even so, in many cases, the listings for individual manufacturers are swelled by the considerable number of units carried over in the line from 1957.

While this specifications report is without doubt the most complete available, there are a number of companies known to be in the field who are not represented for a number of reasons.

Niagara Furnace Div. of Forest City Foundries Co., and the

### CORRECTION

The B.t.u. ratings of the "Capitolaire" commercial air conditioning units on page 2 are in error. The correct ratings are as follows:

Model	Cooling B.t.u. Capacity
COM-1W-031	37,800
COM-1A-051	62,200
COM-1W-051	62,200
COM-1A-053	62,200
COM-1W-083	89,700
COM-1W-103	126,000
COM-1W-153	183,000

## Index to 1958 Specifications

Commercial Packaged Air Conditioners.....	2-5
Heat Pumps .....	5-7
Room Air Conditioners—Self-Contained.....	7-11
Residential Air Conditioning Systems.....	12-20

Co. Name	Page Nos.	Co. Name	Page Nos.	Co. Name	Page Nos.
Addison Products Co. (APCO)	6, 8	General Electric Co.		Payne Div., Carrier Corp...	18
Admiral Corp.	7	(Weathertron)	3, 7, 9, 15	Peerless Corp.	
Airtemp Div., Chrysler Corp.	2, 5, 8, 12	Gibson Refrigerator Co....	3, 6, 9, 15	(Clima-Twin-Aire) .....	6, 13
Alco Refrigeration Sales & Service, Inc. (Airmaster)...	2	Walter Haertel Co.		Perfection Industries, Inc....	4, 6, 10, 18
Alton Mfg. Co.	2	(Vaultmaster) .....	5	Philco Corp.	10, 18
Amana Refrigeration, Inc....	7	Hastings Air Conditioning Co., Inc.	3, 15	Primor Products Div., Borg-Warner Corp.	18
American Blower Corp.	2	Heat Controller, Inc.	8, 13	Remington Corp.	11
American Coils Co. (ACI)...	2, 5	(Comfort-Aire) .....	15	Rheem Mfg. Co.	4, 18
American Furnace Co. (AFCO)	2, 12	Heil-Quaker Corp.	15	Roberts-Gordon Appliance Corp. (Gordon-Air) .....	15
American-Standard Air Conditioning Div.	2, 12	Henry Furnace Co. (Moncrief)	3, 17	Round Oak Co., Inc.	6, 18
Arkla Air Conditioning Corp. (All-Year) .....	12	Holly-General Co.	15		
Armstrong Furnace Co.	2, 12	Hotpoint Co.	9	Sears, Roebuck & Co. (Coldspot) .....	8
Bard Mfg. Co.	2, 12	International Heater Co....	4, 15	Sequoia Mfg. Co.	19
Aug. G. Barkow Mfg. Co., Inc. (Weatherwise).....	2, 20	Iron Fireman Mfg. Co.	15	A. O. Smith Corp., Permaglas Div. (Permaglas) .....	18
Berger Furnace Corp.	12	I. W. Air Conditioning Corp. (In-Wall) .....	9	E. B. Smith, Inc. (Royal-Aire)	18
Bonair Div., Peerless Products Co.	12	Janitrol Div., Surface Combustion Corp.	4, 15	Southwest Mfg. Co. (Heatwave) .....	15
A. Brown Products Corp.	13	Kauffman Air Conditioning Co.	4, 9, 16	Stewart-Warner Corp. (Winkler) .....	5, 19
Bryant Mfg. Co.	2, 13	Kelvinator Div., American Motors Corp.	9	O. A. Sutton Corp. (Vornado)	7, 11, 19
Burnham Corp. (Hide-Away).	15	King Refrigerator Corp.	9	Thatcher Furnace Co.	19
Carrier Corp. (Weathermaker) .....	5, 7, 8, 20	Kool Engineering Corp.	16	Therm-Air Mfg. Co. (Weathertrall) .....	5, 19
Century Engineering Corp.	3, 13	(Kool Kastle) .....	16	Thermo-Products, Inc.	19
Coleman Co. (Polar Pak).....	18	Laurel Products, Inc.	6, 16	Trane Co.	4
Columbia Specialty Co., Inc.	13	Lennox Industries, Inc.	16	Typhoon Air Conditioning Co., Inc.	4, 19
Coal-ette, Inc.	3, 13	Loneragan Coolerator Div.	8, 13	Typhoon Heat Pump Co. (Prop-R-Temp) .....	7
Crane Co. (Sunnyland) .....	3, 14	McGraw-Edison Co.	4, 6, 10, 17		
Curtis Mfg. Co.	3	Lord & Palmer, Inc. (Mercury)	4, 16	United States Air Conditioning Corp.	5, 19
Custom-Temp Corp.	3	Majestic Co., Inc.	9, 16	Utility Appliance Corp. (Gaffers & Sattler) .....	15
Day & Night Div., Carrier Corp.	14	Manning Bowman	4, 6, 9, 17	Waterman-Waterbury Co....	19
Delco Appliance Div., General Motors Corp.	14	Mathes Co.	17	Weatherking of Florida....	7
Dowagiac Steel Furnace Co. Drying Systems, Inc. (Cool Heat) .....	6	Mayflower Air Conditioners, Inc.	6	Warren Webster & Co. (Newport) .....	10
Dunham-Bush, Inc.	3	McMillan Comfortaire Heat Pumps, Inc.	4	Welbilt Corp.	11
Duo-Therm Div., Motor Wheel Corp.	8	McQuay, Inc.	4, 6, 10, 17	Western Auto Supply Co. (Wizard) .....	11
Emerson Electric Mfg. Co...	8	Melchior, Armstrong, Dessau Co. of Delaware, Inc.	4, 6, 17	Westinghouse Electric Corp.	5, 7, 11, 20
Emerson Radio & Phonograph Corp. (Quiet Kool).....	4, 11, 18	(Melco) .....	10, 17	Whirlpool Corp. (RCA Whirlpool) .....	11, 18
F-5 Air Conditioning Corp. (Fandaire) .....	14	Mitchell Mfg. Co.	4, 16	Whitehall Engineering Co. (Kool-a-Bout) .....	9
Farquhar Co.	14	Montgomery Ward (Tru-Cold)	17	Williams Oil-O-Matic Heating Co. (Air-O-Matic).	12
Fedders-Quigan Corp.	3, 6, 8, 14	Morrison Steel Products, Inc.	2, 13	Williamson Co. (Weathermatic) .....	20
Forston Co.	6	Mueller Climatrol	10, 17	Worthington Corp.	5
Fraser & Johnston Co.	14	Muncie Gear Works, Inc. (Marvail) .....	10, 17	Wright Mfg. Co.	20
Frick Co.	3	Nat Corp.			
Friedrich Refrigerators, Inc. (FloatingAir) .....	3, 8, 14	National Steel Construction Corp. (Capitolaire) .....	4, 16	York Corp.	5, 7, 11, 20
Frigidaire Div., General Motors Corp.	3, 9, 15	National-U. S. Radiator Corp. (Northern-Aire Div., Great Northern Mfg. Co.) .....	10	York-Shipley, Inc. (Shipley Homaire) .....	7, 18
General Air Conditioning Corp. (Genatron) .....	3, 6, 15	C. A. Olsen Mfg. Co. (Luxaire)			
		Olympic Radio & Television, Inc.			

**ANNOUNCING:**  
The Completely  
New Edition Of

**AIR  
CONDITIONING  
THE HOME**

The original edition of *Air Conditioning the Home* was read by more than 10,000 people vitally interested in year 'round residential air conditioning.

Now the new, larger, augmented edition, shortly to come off the press, brings you the latest, up-to-date information in the residential field:

- Why People Want and Need It
- How to Sell It at a Profit
- Market Trends
- Installations
- Costs
- F.H.A. Requirements

Even if you have the original edition, be sure and supplement your air conditioning library with this latest, comprehensive study of the all important residential market—compiled by the editors of AIR CONDITIONING & REFRIGERATION NEWS.

Reserve your copies now—only \$2.00 each. Mail your check with your return address to:

### "AIR CONDITIONING THE HOME"

Business News Publishing Company  
450 West Fort Street, Detroit 26, Michigan



# Commercial or 'Store' Type Packaged Air Conditioners

## Commercial

Model No.	Capacity (B.T.U.)	Weight (Lb.)	Width (In.)	Depth (In.)	Height (In.)	Compressor	Cylinders	Refrigerant	Blower	Blower Motor	Blower H.P.	No.	Charge (Lb.)	Compressor Motor	Compressor H.P.	Blower Motor	Blower H.P.	No.	Type	Dimensions (In.)	Heating Type	Capacities (B.T.U.)	List Price
Commercial																							
ACI—American Coil Co., Farmingdale, N. J.																							
ACI-20	20	70	24	24	24	Water	2	Gas	2	2 1/2 x 7/16	1700	1	1200	1-2-3	200/200/200	1	1 1/2	1	Permanent	14 1/2 x 25 1/2 x 11 1/2	Steam	20,000	120.00
ACI-25	25	80	24	24	24	Water	2	Gas	2	2 1/2 x 7/16	1700	1	1200	1-2-3	200/200/200	1	1 1/2	1	Permanent	14 1/2 x 25 1/2 x 11 1/2	Steam	25,000	130.00
ACI-30	30	90	24	24	24	Water	2	Gas	2	2 1/2 x 7/16	1700	1	1200	1-2-3	200/200/200	1	1 1/2	1	Permanent	14 1/2 x 25 1/2 x 11 1/2	Steam	30,000	140.00
ACI-35	35	100	24	24	24	Water	2	Gas	2	2 1/2 x 7/16	1700	1	1200	1-2-3	200/200/200	1	1 1/2	1	Permanent	14 1/2 x 25 1/2 x 11 1/2	Steam	35,000	150.00
ACI-40	40	110	24	24	24	Water	2	Gas	2	2 1/2 x 7/16	1700	1	1200	1-2-3	200/200/200	1	1 1/2	1	Permanent	14 1/2 x 25 1/2 x 11 1/2	Steam	40,000	160.00
ACI-45	45	120	24	24	24	Water	2	Gas	2	2 1/2 x 7/16	1700	1	1200	1-2-3	200/200/200	1	1 1/2	1	Permanent	14 1/2 x 25 1/2 x 11 1/2	Steam	45,000	170.00
ACI-50	50	130	24	24	24	Water	2	Gas	2	2 1/2 x 7/16	1700	1	1200	1-2-3	200/200/200	1	1 1/2	1	Permanent	14 1/2 x 25 1/2 x 11 1/2	Steam	50,000	180.00
ACI-55	55	140	24	24	24	Water	2	Gas	2	2 1/2 x 7/16	1700	1	1200	1-2-3	200/200/200	1	1 1/2	1	Permanent	14 1/2 x 25 1/2 x 11 1/2	Steam	55,000	190.00
ACI-60	60	150	24	24	24	Water	2	Gas	2	2 1/2 x 7/16	1700	1	1200	1-2-3	200/200/200	1	1 1/2	1	Permanent	14 1/2 x 25 1/2 x 11 1/2	Steam	60,000	200.00
ACI-65	65	160	24	24	24	Water	2	Gas	2	2 1/2 x 7/16	1700	1	1200	1-2-3	200/200/200	1	1 1/2	1	Permanent	14 1/2 x 25 1/2 x 11 1/2	Steam	65,000	210.00
ACI-70	70	170	24	24	24	Water	2	Gas	2	2 1/2 x 7/16	1700	1	1200	1-2-3	200/200/200	1	1 1/2	1	Permanent	14 1/2 x 25 1/2 x 11 1/2	Steam	70,000	220.00
ACI-75	75	180	24	24	24	Water	2	Gas	2	2 1/2 x 7/16	1700	1	1200	1-2-3	200/200/200	1	1 1/2	1	Permanent	14 1/2 x 25 1/2 x 11 1/2	Steam	75,000	230.00
ACI-80	80	190	24	24	24	Water	2	Gas	2	2 1/2 x 7/16	1700	1	1200	1-2-3	200/200/200	1	1 1/2	1	Permanent	14 1/2 x 25 1/2 x 11 1/2	Steam	80,000	240.00
ACI-85	85	200	24	24	24	Water	2	Gas	2	2 1/2 x 7/16	1700	1	1200	1-2-3	200/200/200	1	1 1/2	1	Permanent	14 1/2 x 25 1/2 x 11 1/2	Steam	85,000	250.00
ACI-90	90	210	24	24	24	Water	2	Gas	2	2 1/2 x 7/16	1700	1	1200	1-2-3	200/200/200	1	1 1/2	1	Permanent	14 1/2 x 25 1/2 x 11 1/2	Steam	90,000	260.00
ACI-95	95	220	24	24	24	Water	2	Gas	2	2 1/2 x 7/16	1700	1	1200	1-2-3	200/200/200	1	1 1/2	1	Permanent	14 1/2 x 25 1/2 x 11 1/2	Steam	95,000	270.00
ACI-100	100	230	24	24	24	Water	2	Gas	2	2 1/2 x 7/16	1700	1	1200	1-2-3	200/200/200	1	1 1/2	1	Permanent	14 1/2 x 25 1/2 x 11 1/2	Steam	100,000	280.00
ACI-105	105	240	24	24	24	Water	2	Gas	2	2 1/2 x 7/16	1700	1	1200	1-2-3	200/200/200	1	1 1/2	1	Permanent	14 1/2 x 25 1/2 x 11 1/2	Steam	105,000	290.00
ACI-110	110	250	24	24	24	Water	2	Gas	2	2 1/2 x 7/16	1700	1	1200	1-2-3	200/200/200	1	1 1/2	1	Permanent	14 1/2 x 25 1/2 x 11 1/2	Steam	110,000	300.00
ACI-115	115	260	24	24	24	Water	2	Gas	2	2 1/2 x 7/16	1700	1	1200	1-2-3	200/200/200	1	1 1/2	1	Permanent	14 1/2 x 25 1/2 x 11 1/2	Steam	115,000	310.00
ACI-120	120	270	24	24	24	Water	2	Gas	2	2 1/2 x 7/16	1700	1	1200	1-2-3	200/200/200	1	1 1/2	1	Permanent	14 1/2 x 25 1/2 x 11 1/2	Steam	120,000	320.00
ACI-125	125	280	24	24	24	Water	2	Gas	2	2 1/2 x 7/16	1700	1	1200	1-2-3	200/200/200	1	1 1/2	1	Permanent	14 1/2 x 25 1/2 x 11 1/2	Steam	125,000	330.00
ACI-130	130	290	24	24	24	Water	2	Gas	2	2 1/2 x 7/16	1700	1	1200	1-2-3	200/200/200	1	1 1/2	1	Permanent	14 1/2 x 25 1/2 x 11 1/2	Steam	130,000	340.00
ACI-135	135	300	24	24	24	Water	2	Gas	2	2 1/2 x 7/16	1700	1	1200	1-2-3	200/200/200	1	1 1/2	1	Permanent	14 1/2 x 25 1/2 x 11 1/2	Steam	135,000	350.00
ACI-140	140	310	24	24	24	Water	2	Gas	2	2 1/2 x 7/16	1700	1	1200	1-2-3	200/200/200	1	1 1/2	1	Permanent	14 1/2 x 25 1/2 x 11 1/2	Steam	140,000	360.00
ACI-145	145	320	24	24	24	Water	2	Gas	2	2 1/2 x 7/16	1700	1	1200	1-2-3	200/200/200	1	1 1/2	1	Permanent	14 1/2 x 25 1/2 x 11 1/2	Steam	145,000	370.00
ACI-150	150	330	24	24	24	Water	2	Gas	2	2 1/2 x 7/16	1700	1	1200	1-2-3	200/200/200	1	1 1/2	1	Permanent	14 1/2 x 25 1/2 x 11 1/2	Steam	150,000	380.00
ACI-155	155	340	24	24	24	Water	2	Gas	2	2 1/2 x 7/16	1700	1	1200	1-2-3	200/200/200	1	1 1/2	1	Permanent	14 1/2 x 25 1/2 x 11 1/2	Steam	155,000	390.00
ACI-160	160	350	24	24	24	Water	2	Gas	2	2 1/2 x 7/16	1700	1	1200	1-2-3	200/200/200	1	1 1/2	1	Permanent	14 1/2 x 25 1/2 x 11 1/2	Steam	160,000	400.00
ACI-165	165	360	24	24	24	Water	2	Gas	2	2 1/2 x 7/16	1700	1	1200	1-2-3	200/200/200	1	1 1/2	1	Permanent	14 1/2 x 25 1/2 x 11 1/2	Steam	165,000	410.00
ACI-170	170	370	24	24	24	Water	2	Gas	2	2 1/2 x 7/16	1700	1	1200	1-2-3	200/200/200	1	1 1/2	1	Permanent	14 1/2 x 25 1/2 x 11 1/2	Steam	170,000	420.00
ACI-175	175	380	24	24	24	Water	2	Gas	2	2 1/2 x 7/16	1700	1	1200	1-2-3	200/200/200	1	1 1/2	1	Permanent	14 1/2 x 25 1/2 x 11 1/2	Steam	175,000	430.00
ACI-180	180	390	24	24	24	Water	2	Gas	2	2 1/2 x 7/16	1700	1	1200	1-2-3	200/200/200	1	1 1/2	1	Permanent	14 1/2 x 25 1/2 x 11 1/2	Steam	180,000	440.00
ACI-185	185	400	24	24	24	Water	2	Gas	2	2 1/2 x 7/16	1700	1	1200	1-2-3	200/200/200	1	1 1/2	1	Permanent	14 1/2 x 25 1/2 x 11 1/2	Steam	185,000	450.00
ACI-190	190	410	24	24	24	Water	2	Gas	2	2 1/2 x 7/16	1700	1	1200	1-2-3	200/200/200	1	1 1/2	1	Permanent	14 1/2 x 25 1/2 x 11 1/2	Steam	190,000	460.00
ACI-195	195	420	24	24	24	Water	2	Gas	2	2 1/2 x 7/16	1700	1	1200	1-2-3	200/200/200	1	1 1/2	1	Permanent	14 1/2 x 25 1/2 x 11 1/2	Steam	195,000	470.00
ACI-200	200	430	24	24	24	Water	2	Gas	2	2 1/2 x 7/16	1700	1	1200	1-2-3	200/200/200	1	1 1/2	1	Permanent	14 1/2 x 25 1/2 x 11 1/2	Steam	200,000	480.00
ACI-205	205	440	24	24	24	Water	2	Gas	2	2 1/2 x 7/16	1700	1	1200	1-2-3	200/200/200	1	1 1/2	1	Permanent	14 1/2 x 25 1/2 x 11 1/2	Steam	205,000	490.00
ACI-210	210	450	24	24																			



Commercial										Commercial										
Model No.	Capacity (B.T.U.)	Weight (lb.)	Height (in.)	Width (in.)	Depth (in.)	Coil Type	Coil Area (sq. ft.)	Evaporator Type	Condenser Type	Compressor Type	Cylinders	Refrigerant (lb.)	Motor (hp.)	Power (kw.)	Refrigerant (lb.)	Motor (hp.)	Power (kw.)	Dimensions (in.)	Heating Type	Capacity (B.T.U.)
Century-Century Engineering Corp., Cedar Rapids, Iowa																				
CE-100	100	25	24	24	24	Water	1.75	Water	Water	Water	2	100	1/2	1.0	100	1/2	1.0	24x24x24	Water	100
CE-200	200	50	24	24	24	Water	3.5	Water	Water	Water	2	200	1/2	2.0	200	1/2	2.0	24x24x24	Water	200
CE-300	300	75	24	24	24	Water	5.25	Water	Water	Water	2	300	1/2	3.0	300	1/2	3.0	24x24x24	Water	300
CE-400	400	100	24	24	24	Water	7.0	Water	Water	Water	2	400	1/2	4.0	400	1/2	4.0	24x24x24	Water	400
CE-500	500	125	24	24	24	Water	8.75	Water	Water	Water	2	500	1/2	5.0	500	1/2	5.0	24x24x24	Water	500
CE-600	600	150	24	24	24	Water	10.5	Water	Water	Water	2	600	1/2	6.0	600	1/2	6.0	24x24x24	Water	600
CE-700	700	175	24	24	24	Water	12.25	Water	Water	Water	2	700	1/2	7.0	700	1/2	7.0	24x24x24	Water	700
CE-800	800	200	24	24	24	Water	14.0	Water	Water	Water	2	800	1/2	8.0	800	1/2	8.0	24x24x24	Water	800
CE-900	900	225	24	24	24	Water	15.75	Water	Water	Water	2	900	1/2	9.0	900	1/2	9.0	24x24x24	Water	900
CE-1000	1000	250	24	24	24	Water	17.5	Water	Water	Water	2	1000	1/2	10.0	1000	1/2	10.0	24x24x24	Water	1000
Cool-Elle-Cool-Elle, Inc., Detroit																				
CE-100	100	25	24	24	24	Water	1.75	Water	Water	Water	2	100	1/2	1.0	100	1/2	1.0	24x24x24	Water	100
CE-200	200	50	24	24	24	Water	3.5	Water	Water	Water	2	200	1/2	2.0	200	1/2	2.0	24x24x24	Water	200
CE-300	300	75	24	24	24	Water	5.25	Water	Water	Water	2	300	1/2	3.0	300	1/2	3.0	24x24x24	Water	300
CE-400	400	100	24	24	24	Water	7.0	Water	Water	Water	2	400	1/2	4.0	400	1/2	4.0	24x24x24	Water	400
CE-500	500	125	24	24	24	Water	8.75	Water	Water	Water	2	500	1/2	5.0	500	1/2	5.0	24x24x24	Water	500
CE-600	600	150	24	24	24	Water	10.5	Water	Water	Water	2	600	1/2	6.0	600	1/2	6.0	24x24x24	Water	600
CE-700	700	175	24	24	24	Water	12.25	Water	Water	Water	2	700	1/2	7.0	700	1/2	7.0	24x24x24	Water	700
CE-800	800	200	24	24	24	Water	14.0	Water	Water	Water	2	800	1/2	8.0	800	1/2	8.0	24x24x24	Water	800
CE-900	900	225	24	24	24	Water	15.75	Water	Water	Water	2	900	1/2	9.0	900	1/2	9.0	24x24x24	Water	900
CE-1000	1000	250	24	24	24	Water	17.5	Water	Water	Water	2	1000	1/2	10.0	1000	1/2	10.0	24x24x24	Water	1000
Crane-Grane Co., Chicago																				
CG-100	100	25	24	24	24	Water	1.75	Water	Water	Water	2	100	1/2	1.0	100	1/2	1.0	24x24x24	Water	100
CG-200	200	50	24	24	24	Water	3.5	Water	Water	Water	2	200	1/2	2.0	200	1/2	2.0	24x24x24	Water	200
CG-300	300	75	24	24	24	Water	5.25	Water	Water	Water	2	300	1/2	3.0	300	1/2	3.0	24x24x24	Water	300
CG-400	400	100	24	24	24	Water	7.0	Water	Water	Water	2	400	1/2	4.0	400	1/2	4.0	24x24x24	Water	400
CG-500	500	125	24	24	24	Water	8.75	Water	Water	Water	2	500	1/2	5.0	500	1/2	5.0	24x24x24	Water	500
CG-600	600	150	24	24	24	Water	10.5	Water	Water	Water	2	600	1/2	6.0	600	1/2	6.0	24x24x24	Water	600
CG-700	700	175	24	24	24	Water	12.25	Water	Water	Water	2	700	1/2	7.0	700	1/2	7.0	24x24x24	Water	700
CG-800	800	200	24	24	24	Water	14.0	Water	Water	Water	2	800	1/2	8.0	800	1/2	8.0	24x24x24	Water	800
CG-900	900	225	24	24	24	Water	15.75	Water	Water	Water	2	900	1/2	9.0	900	1/2	9.0	24x24x24	Water	900
CG-1000	1000	250	24	24	24	Water	17.5	Water	Water	Water	2	1000	1/2	10.0	1000	1/2	10.0	24x24x24	Water	1000
Curtis-Curtis Mfg. Co., St. Louis																				
CU-100	100	25	24	24	24	Water	1.75	Water	Water	Water	2	100	1/2	1.0	100	1/2	1.0	24x24x24	Water	100
CU-200	200	50	24	24	24	Water	3.5	Water	Water	Water	2	200	1/2	2.0	200	1/2	2.0	24x24x24	Water	200
CU-300	300	75	24	24	24	Water	5.25	Water	Water	Water	2	300	1/2	3.0	300	1/2	3.0	24x24x24	Water	300
CU-400	400	100	24	24	24	Water	7.0	Water	Water	Water	2	400	1/2	4.0	400	1/2	4.0	24x24x24	Water	400
CU-500	500	125	24	24	24	Water	8.75	Water	Water	Water	2	500	1/2	5.0	500	1/2	5.0	24x24x24	Water	500
CU-600	600	150	24	24	24	Water	10.5	Water	Water	Water	2	600	1/2	6.0	600	1/2	6.0	24x24x24	Water	600
CU-700	700	175	24	24	24	Water	12.25	Water	Water	Water	2	700	1/2	7.0	700	1/2	7.0	24x24x24	Water	700
CU-800	800	200	24	24	24	Water	14.0	Water	Water	Water	2	800	1/2	8.0	800	1/2	8.0	24x24x24	Water	800
CU-900	900	225	24	24	24	Water	15.75	Water	Water	Water	2	900	1/2	9.0	900	1/2	9.0	24x24x24	Water	900
CU-1000	1000	250	24	24	24	Water	17.5	Water	Water	Water	2	1000	1/2	10.0	1000	1/2	10.0	24x24x24	Water	1000
Custom-Temp-Custom-Temp Corp., Liberty, N. Y.																				
CT-100	100	25	24	24	24	Water	1.75	Water	Water	Water	2	100	1/2	1.0	100	1/2	1.0	24x24x24	Water	100
CT-200	200	50	24	24	24	Water	3.5	Water	Water	Water	2	200	1/2	2.0	200	1/2	2.0	24x24x24	Water	200
CT-300	300	75	24	24	24	Water	5.25	Water	Water	Water	2	300	1/2	3.0	300	1/2	3.0	24x24x24	Water	300
CT-400	400	100	24	24	24	Water	7.0	Water	Water	Water	2	400	1/2	4.0	400	1/2	4.0	24x24x24	Water	400
CT-500	500	125	24	24	24	Water	8.75	Water	Water	Water	2	500	1/2	5.0	500	1/2	5.0	24x24x24	Water	500
CT-600	600	150	24	24	24	Water	10.5	Water	Water	Water	2	600	1/2	6.0	600	1/2	6.0	24x24x24	Water	600
CT-700	700	175	24	24	24	Water	12.25	Water	Water	Water	2	700	1/2	7.0	700	1/2	7.0	24x24x24	Water	700
CT-800	800	200	24	24	24	Water	14.0	Water	Water	Water	2	800	1/2	8.0	800	1/2	8.0	24x24x24	Water	800
CT-900	900	225	24	24	24	Water	15.75	Water	Water	Water	2	900	1/2	9.0	900	1/2	9.0	24x24x24	Water	900
CT-1000	1000	250	24	24	24	Water	17.5	Water	Water	Water	2	1000	1/2	10.0	1000	1/2	10.0	24x24x24	Water	1000
Dunham-Bush, BAC-Dunham-Bush, Inc., West Hartford, Conn.																				
DB-100	100	25	24	24	24	Water	1.75	Water	Water	Water	2	100	1/2	1.0	100	1/2	1.0	24x24x24	Water	100
DB-200	200	50	24	24	24	Water	3.5	Water	Water	Water	2	200	1/2	2.0	200	1/2	2.0	24x24x24	Water	200
DB-300	300	75	24	24	24	Water	5.25	Water	Water	Water	2	300	1/2	3.0	300	1/2	3.0	24x24x24	Water	300
DB-400	400	100	24	24	24	Water	7.0	Water	Water	Water	2	400	1/2	4.0	400	1/2	4.0	24x24x24	Water	400
DB-500	500	125	24	24	24	Water	8.75	Water	Water	Water	2	500	1/2	5.0	500	1/2	5.0	24x24x24	Water	500
DB-600	600	150	24	24	24	Water														







## Commercial

[illegible]

## Heat Pumps

Heat Pumps																														
Model No.	Cabinet Dimensions (In.)		Capacities (B.t.u.s.) Cooling Heating	Heating Type	Compressor		Hp.	Cooling Method	Type	Cyls.	Sucks (In.)	Bore & Stroke (In.)	R.p.m.	Condenser		Expansor—		Factory Charged?	Control Temp.	DANGER	Air Filters No.	Type	Dimensions (In.)	Blowers In Exp. Unit?	Non-C.F.M.	R.p.m.	Net Weight Lbs.	Water Uprate Gpm/ton		
	Height	Width			Make	Compressor Motor Phase Volts								Refrigerant Type	Flow Area (Sq. Ft.)	Rows														
ACI-H—American Cells Co., Farmingdale, N. J.																														
ACI-H-30	48	52	48,000	Rev. Cycle	1-3	200/200/220	1	Gas	Semi-Hermetic	3	2 1/2 x 1 7/16	1750	1750	Shell and Tube	Water	4.4	4	F-12	Yes	Yes	No	1	Permanent	14 1/2 x 25 1/2 x 1	Yes	1	1500	600	784	1 1/2
ACI-H-40	48	52	48,000	Rev. Cycle	1-3	200/200/220	1	Gas	Semi-Hermetic	3	2 1/2 x 1 13/16	1750	1750	Shell and Tube	Water	4.4	4	F-12	Yes	Yes	No	1	Permanent	14 1/2 x 25 1/2 x 1	Yes	1	1500	600	784	1 1/2
ACI-H-50	48	52	48,000	Rev. Cycle	1-3	200/200/220	1	Gas	Semi-Hermetic	3	2 1/2 x 1 13/16	1750	1750	Shell and Tube	Water	4.4	4	F-12	Yes	Yes	No	1	Permanent	14 1/2 x 25 1/2 x 1	Yes	1	1500	600	784	1 1/2
ACI-H-75	72	57	96,000	Rev. Cycle	2-3	200/220	2	Gas	Semi-Hermetic	3	2 1/2 x 1 13/16	1750	1750	Shell and Tube	Water	6.7	4	F-12	Yes	Yes	No	1	Permanent	20 1/2 x 25 1/2 x 1	Yes	2	2000	900	1250	1 1/2
ACI-H-100	72	57	96,000	Rev. Cycle	2-3	200/220	2	Gas	Semi-Hermetic	3	2 1/2 x 1 13/16	1750	1750	Shell and Tube	Water	6.7	4	F-12	Yes	Yes	No	1	Permanent	20 1/2 x 25 1/2 x 1	Yes	2	2000	900	1250	1 1/2
ACI-H-150	72	57	144,000	Rev. Cycle	2-3	200/220	2	Gas	Semi-Hermetic	3	2 1/2 x 1 13/16	1750	1750	Shell and Tube	Water	13.5	5	F-12	Yes	Yes	No	1	Permanent	29 1/2 x 29 1/2 x 1	Yes	2	4000	1000	1851	2 1/2
All models upflow. All models available in 400/500 volt.																														
Airtemp—Airtamp Div. of Chrysler Corp., Dayton																														
1089-4	27 1/2	45	31,000	Rev. Cycle, 1089-4	1	230	1	Gas	Hermetic	3	2 1/2	1750	1750	Tube & Fin	Air	3.1	3	F-22	Yes	Yes	No	23	Disposable	12 1/2 x 23 1/2 x 1/2	Yes	1	1300	700	2100	2 1/2

\*Include 23% in. for electric heat heaters. (10 25 F. outside ambient—Reverse Cycle plus 75,000 B.t.u.s. supplemental electric heater (23 kw.).

†Accessories.

\*Excludes 22% in. for electric duct heaters, 10 25° F. outside ambient—Reverse Cycle plus 17.00 B.t.u.h. supplemental electric heater (13.8 kw.), 10 35° F. outside ambient—Reverse Cycle plus 75.500 B.t.u.h. supplemental electric heater (23 kw.), Accessory.



## Heat Pumps

[illegible]



## Heat Pumps

Prep-R-Temp-Typhoon Heat Pump, Tempa, Fla.										Prep-R-Temp-Typhoon Heat Pump, Tempa, Fla.										Prep-R-Temp-Typhoon Heat Pump, Tempa, Fla.											
Model No.	Chilled Water Dimensions (In.)	Weight	Height	Width	Depth	Capacity (B.t.u.h.)	Heating	Refrigerant	Compressor	Mo.	Cooling Method	Type	Cyls.	Stroke (In.)	R.p.m.	Condenser	Coilng Medium	Free Area (Sq. Ft.)	Evap. Temp.	Refrigerant	Charge (Lbs.)	Factory Charge?	Control Temp.	Damp.	Unit	Mo. In. R.p.m.	Mo. C.F.M.	Mo. Weight	Mo. Net Weight	Mo. Gross Weight	
133E	24	26	51.00	36.70	10	250/250/250	1	1	1	1	Gas	Reciprocating	2	2 1/2	1750	Tube-in-Tube	Water	2.35	4	F-22	5.5	Yes	Yes	Yes	25x20	Yes	1	1000	775	580	5
134E	24	26	51.00	36.70	10	250/250/250	1	1	1	1	Gas	Reciprocating	2	2 1/2	1750	Tube-in-Tube	Water	2.35	4	F-22	5.5	Yes	Yes	Yes	25x20	Yes	1	1000	775	580	5
135E	24	26	51.00	36.70	10	250/250/250	1	1	1	1	Gas	Reciprocating	2	2 1/2	1750	Tube-in-Tube	Water	2.35	4	F-22	5.5	Yes	Yes	Yes	25x20	Yes	1	1000	775	580	5
136E	24	26	51.00	36.70	10	250/250/250	1	1	1	1	Gas	Reciprocating	2	2 1/2	1750	Tube-in-Tube	Water	2.35	4	F-22	5.5	Yes	Yes	Yes	25x20	Yes	1	1000	775	580	5
137E	24	26	51.00	36.70	10	250/250/250	1	1	1	1	Gas	Reciprocating	2	2 1/2	1750	Tube-in-Tube	Water	2.35	4	F-22	5.5	Yes	Yes	Yes	25x20	Yes	1	1000	775	580	5
138E	24	26	51.00	36.70	10	250/250/250	1	1	1	1	Gas	Reciprocating	2	2 1/2	1750	Tube-in-Tube	Water	2.35	4	F-22	5.5	Yes	Yes	Yes	25x20	Yes	1	1000	775	580	5
139E	24	26	51.00	36.70	10	250/250/250	1	1	1	1	Gas	Reciprocating	2	2 1/2	1750	Tube-in-Tube	Water	2.35	4	F-22	5.5	Yes	Yes	Yes	25x20	Yes	1	1000	775	580	5
140E	24	26	51.00	36.70	10	250/250/250	1	1	1	1	Gas	Reciprocating	2	2 1/2	1750	Tube-in-Tube	Water	2.35	4	F-22	5.5	Yes	Yes	Yes	25x20	Yes	1	1000	775	580	5
141E	24	26	51.00	36.70	10	250/250/250	1	1	1	1	Gas	Reciprocating	2	2 1/2	1750	Tube-in-Tube	Water	2.35	4	F-22	5.5	Yes	Yes	Yes	25x20	Yes	1	1000	775	580	5
142E	24	26	51.00	36.70	10	250/250/250	1	1	1	1	Gas	Reciprocating	2	2 1/2	1750	Tube-in-Tube	Water	2.35	4	F-22	5.5	Yes	Yes	Yes	25x20	Yes	1	1000	775	580	5
143E	24	26	51.00	36.70	10	250/250/250	1	1	1	1	Gas	Reciprocating	2	2 1/2	1750	Tube-in-Tube	Water	2.35	4	F-22	5.5	Yes	Yes	Yes	25x20	Yes	1	1000	775	580	5
144E	24	26	51.00	36.70	10	250/250/250	1	1	1	1	Gas	Reciprocating	2	2 1/2	1750	Tube-in-Tube	Water	2.35	4	F-22	5.5	Yes	Yes	Yes	25x20	Yes	1	1000	775	580	5
145E	24	26	51.00	36.70	10	250/250/250	1	1	1	1	Gas	Reciprocating	2	2 1/2	1750	Tube-in-Tube	Water	2.35	4	F-22	5.5	Yes	Yes	Yes	25x20	Yes	1	1000	775	580	5
146E	24	26	51.00	36.70	10	250/250/250	1	1	1	1	Gas	Reciprocating	2	2 1/2	1750	Tube-in-Tube	Water	2.35	4	F-22	5.5	Yes	Yes	Yes	25x20	Yes	1	1000	775	580	5
147E	24	26	51.00	36.70	10	250/250/250	1	1	1	1	Gas	Reciprocating	2	2 1/2	1750	Tube-in-Tube	Water	2.35	4	F-22	5.5	Yes	Yes	Yes	25x20	Yes	1	1000	775	580	5
148E	24	26	51.00	36.70	10	250/250/250	1	1	1	1	Gas	Reciprocating	2	2 1/2	1750	Tube-in-Tube	Water	2.35	4	F-22	5.5	Yes	Yes	Yes	25x20	Yes	1	1000	775	580	5
149E	24	26	51.00	36.70	10	250/250/250	1	1	1	1	Gas	Reciprocating	2	2 1/2	1750	Tube-in-Tube	Water	2.35	4	F-22	5.5	Yes	Yes	Yes	25x20	Yes	1	1000	775	580	5
150E	24	26	51.00	36.70	10	250/250/250	1	1	1	1	Gas	Reciprocating	2	2 1/2	1750	Tube-in-Tube	Water	2.35	4	F-22	5.5	Yes	Yes	Yes	25x20	Yes	1	1000	775	580	5
151E	24	26	51.00	36.70	10	250/250/250	1	1	1	1	Gas	Reciprocating	2	2 1/2	1750	Tube-in-Tube	Water	2.35	4	F-22	5.5	Yes	Yes	Yes	25x20	Yes	1	1000	775	580	5
152E	24	26	51.00	36.70	10	250/250/250	1	1	1	1	Gas	Reciprocating	2	2 1/2	1750	Tube-in-Tube	Water	2.35	4	F-22	5.5	Yes	Yes	Yes	25x20	Yes	1	1000	775	580	5
153E	24	26	51.00	36.70	10	250/250/250	1	1	1	1	Gas	Reciprocating	2	2 1/2	1750	Tube-in-Tube	Water	2.35	4	F-22	5.5	Yes	Yes	Yes	25x20	Yes	1	1000	775	580	5
154E	24	26	51.00	36.70	10	250/250/250	1	1	1	1	Gas	Reciprocating	2	2 1/2	1750	Tube-in-Tube	Water	2.35	4	F-22	5.5	Yes	Yes	Yes	25x20	Yes	1	1000	775	580	5
155E	24	26	51.00	36.70	10	250/250/250	1	1	1	1	Gas	Reciprocating	2	2 1/2	1750	Tube-in-Tube	Water	2.35	4	F-22	5.5	Yes	Yes	Yes	25x20	Yes	1	1000	775	580	5
156E	24	26	51.00	36.70	10	250/250/250	1	1	1	1	Gas	Reciprocating	2	2 1/2	1750	Tube-in-Tube	Water	2.35	4	F-22	5.5	Yes	Yes	Yes	25x20	Yes	1	1000	775	580	5
157E	24	26	51.00	36.70	10	250/250/250	1	1	1	1	Gas	Reciprocating	2	2 1/2	1750	Tube-in-Tube	Water	2.35	4	F-22	5.5	Yes	Yes	Yes	25x20	Yes	1	1000	775	580	5
158E	24	26	51.00	36.70	10	250/250/250	1	1	1	1	Gas	Reciprocating	2	2 1/2	1750	Tube-in-Tube	Water	2.35	4	F-22	5.5	Yes	Yes	Yes	25x20	Yes	1	1000	775	580	5
159E	24	26	51.00	36.70	10	250/250/250	1	1	1	1	Gas	Reciprocating	2	2 1/2	1750	Tube-in-Tube	Water	2.35	4	F-22	5.5	Yes	Yes	Yes	25x20	Yes	1	1000	775	580	5
160E	24	26	51.00	36.70	10	250/250/250	1	1	1	1	Gas	Reciprocating	2	2 1/2	1750	Tube-in-Tube	Water	2.35	4	F-22	5.5	Yes	Yes	Yes	25x20	Yes	1	1000	775	580	5
161E	24	26	51.00	36.70	10	250/250/250	1	1	1	1	Gas	Reciprocating	2	2 1/2	1750	Tube-in-Tube	Water	2.35	4	F-22	5.5	Yes	Yes	Yes	25x20	Yes	1	1000	775	580	5
162E	24	26	51.00	36.70	10	250/250/250	1	1	1	1	Gas	Reciprocating	2	2 1/2	1750	Tube-in-Tube	Water	2.35	4	F-22	5.5	Yes	Yes	Yes	25x20	Yes	1	1000	775	580	5
163E	24	26	51.00	36.70	10	250/250/250	1	1	1	1	Gas	Reciprocating	2	2 1/2	1750	Tube-in-Tube	Water	2.35	4	F-22	5.5	Yes	Yes	Yes	25x20	Yes	1	1000	775	580	5
164E	24	26	51.00	36.70	10	250/250/250	1	1	1	1	Gas	Reciprocating	2	2 1/2	1750	Tube-in-Tube	Water	2.35	4	F-22	5.5	Yes	Yes	Yes	25x20	Yes	1	1000	775	580	5
165E	24	26	51.00	36.70	10	250/250/250	1	1	1	1	Gas	Reciprocating	2	2 1/2	1750	Tube-in-Tube	Water	2.35	4	F-22	5.5	Yes	Yes	Yes	25x20	Yes	1	1000	775	580	5
166E	24	26	51.00	36.70	10	250/250/250	1	1	1	1	Gas	Reciprocating	2	2 1/2	1750	Tube-in-Tube	Water	2.35	4	F-22	5.5	Yes	Yes	Yes	25x20	Yes	1	1000	775	580	5
167E	24	26	51.00	36.70	10	250/250/250	1	1	1	1	Gas	Reciprocating	2	2 1/2	1750	Tube-in-Tube	Water	2.35	4	F-22	5.5	Yes	Yes	Yes	25x20	Yes	1	1000	775	580	5
168E	24	26	51.00	36.70	10	250/250/250	1	1	1	1	Gas	Reciprocating	2	2 1/2	1750	Tube-in-Tube	Water	2.35	4	F-22	5.5	Yes	Yes	Yes	25x20	Yes	1	1000	775	580	5
169E	24	26	51.00	36.70	10	250/250/250	1	1	1	1	Gas	Reciprocating	2	2 1/2	1750	Tube-in-Tube	Water	2.35	4	F-22	5.5	Yes	Yes	Yes	25x20	Yes	1	1000	775	580	5
170E	24	26	51.00	36.70	10	250/250/250	1	1	1	1	Gas	Reciprocating	2	2 1/2	1750	Tube-in-Tube	Water	2.35	4	F-22	5.5	Yes	Yes	Yes	25x20	Yes	1	1000	775	580	5
171E	24	26	51.00	36.70	10	250/250/250	1	1	1	1	Gas	Reciprocating	2	2 1/2	1750	Tube-in-Tube	Water	2.35	4	F-22	5.5	Yes	Yes	Yes	25x20	Yes	1	1000	775	580	5
172E	24	26	51.00	36.70	10	250/250/250	1	1	1	1	Gas	Reciprocating	2	2 1/2	1750	Tube-in-Tube	Water	2.35	4	F-22	5.5	Yes	Yes	Yes	25x20	Yes	1	1000	775	580	5
173E	24	26	51.00	36.70	10	250/250/250	1	1	1	1	Gas	Reciprocating	2	2 1/2	1750	Tube-in-Tube	Water	2.35	4	F-22	5.5	Yes	Yes	Yes	25x20	Yes	1	1000	775	580	5
174E	24	26	51.00	36.70	10	250/250/250	1	1	1	1	Gas	Reciprocating	2	2 1/2	1750	Tube-in-Tube	Water	2.35	4	F-22	5.5	Yes	Yes	Yes	25x20	Yes	1	1000	775	580	5
175E	24	26	51.00	36.70	10	250/250/250	1	1	1	1	Gas	Reciprocating	2	2 1/2	1750	Tube-in-Tube	Water	2.35	4	F-22	5.5	Yes	Yes	Yes	25x20	Yes	1	1000	775	580	5
176E	24	26	51.00	36.70	10	250/250/250	1	1	1	1	Gas	Reciprocating	2	2 1/2	1750	Tube-in-Tube	Water	2.35	4	F-22	5.5	Yes	Yes	Yes	25x20	Yes	1	1000	775	580	5
177E	24	26	51.00	36.70	10	250/250/250	1	1	1	1	Gas	Reciprocating	2	2 1/2	1750	Tube-in-Tube	Water	2.35	4	F-22	5.5	Yes	Yes	Yes	25x20	Yes	1	1000	775	580	5
178E	24	26	51.00	36.70	10	250/250/250	1	1	1	1	Gas	Reciprocating	2	2 1/2	1750	Tube-in-Tube	Water	2.35	4	F-22	5.5	Yes	Yes	Yes	25x20	Yes	1	1000	775	580	5
179E	24	26	51.00	36.70	10	250/250/250	1	1	1	1	Gas	Reciprocating	2	2 1/2	1750	Tube-in-Tube	Water	2.35	4	F-22	5.5	Yes	Yes	Yes	25x20	Yes	1	1000	775	580	5
180E	24	26	51.00	36.70	10	250/250/250	1	1	1	1	Gas	Reciprocating	2	2 1/2	1750	Tube-in-Tube	Water	2.35	4	F-22	5.5	Yes	Yes	Yes	25x20	Yes	1	1000	775	580	5

\*Dimensions of indoor unit. †No supplemental heat included.

## Shipley Homeaire—

Design temperature 30° F.	25%	33%	41%	50%	60%	70%	80%	90%	100%	110%	125%	150%	175%	200%	250%	300%	350%	400%	450%	500%	550%	600%	650%	700%	750%	800%	850%	900%	950%	1000%	1050%	1100%	1150%	1200%	1250%	1300%	1350%	1400%	1450%	1500%	1550%	1600%	1650%	1700%	1750%	1800%	1850%	1900%	1950%	2000%	2050%	2100%	2150%	2200%	2250%	2300%	2350%	2400%	2450%	2500%	2550%	2600%	2650%	2700%	2750%	2800%	2850%	2900%	2950%	3000%	3050%	3100%	3150%	3200%	3250%	3300%	3350%	3400%	3450%	3500%	3550%	3600%	3650%	3700%	3750%	3800%	3850%	3900%	3950%	4000%	4050%	4100%	4150%	4200%	4250%	4300%	4350%	4400%	4450%	4500%	4550%	4600%	4650%	4700%	4750%	4800%	4850%	4900%	4950%	5000%	5050%	5100%	5150%	5200%	5250%	5300%	5350%	5400%	5450%	5500%	5550%	5600%	5650%	5700%	5750%	5800%	5850%	5900%	5950%	6000%	6050%	6100%	6150%	6200%	6250%	6300%	6350%	6400%	6450%	6500%	6550%	6600%	6650%	6700%	6750%	6800%	6850%	6900%	6950%	7000%	7050%	7100%	7150%	7200%	7250%	7300%	7350%	7400%	7450%	7500%	7550%	7600%	7650%	7700%	7750%	7800%	7850%	7900%	7950%	8000%	8050%	8100%	8150%	8200%	8250%	8300%	8350%	8400%	8450%	8500%	8550%	8600%	8650%	8700%	8750%	8800%	8850%	8900%	8950%	9000%	9050%	9100%	9150%	9200%	9250%	9300%	9350%	9400%	9450%	9500%	9550%	9600%	9650%	9700%	9750%	9800%	9850%	9900%	9950%	10000%
ACRY-20RD	25%	33%	41%	50%	60%	70%	80%	90%	100%	110%	125%	150%	175%	200%	250%	300%	350%	400%	450%	500%	550%	600%	650%	700%	750%	800%	850%	900%	950%	1000%	1050%	1100%	1150%	1200%	1250%	1300%	1350%	1400%	1450%	1500%	1550%	1600%	1650%	1700%	1750%	1800%	1850%	1900%	1950%	2000%	2050%	2100%	2150%	2200%	2250%	2300%	2350%	2400%	2450%	2500%	2550%	2600%	2650%	2700%	2750%	2800%	2850%	2900%	2950%	3000%	3050%	3100%	3150%	3200%	3250%	3300%	3350%	3400%	3450%	3500%	3550%	3600%	3650%	3700%	3750%	3800%	3850%	3900%	3950%	4000%	4050%	4100%	4150%	4200%	4250%	4300%	4350%	4400%	4450%	4500%	4550%	4600%	4650%	4700%	4750%	4800%	4850%	4900%	4950%	5000%	5050%	5100%	5150%	5200%	5250%	5300%	5350%	5400%	5450%	5500%	5550%	5600%	5650%	5700%	5750%	5800%	5850%	5900%	5950%	6000%	6050%	6100%	6150%	6200%	6250%	6300%	6350%	6400%	6450%	6500%	6550%	6600%	6650%	6700%	6750%	6800%	6850%	6900%	6950%	7000%	7050%	7100%	7150%	7200%	7250%	7300%	7350%	7400%	7450%	7500%	7550%	7600%	7650%	7700%	7750%	7800%	7850%	7900%	7950%	8000%	8050%	8100%	8150%	8200%	8250%	8300%	8350%	8400%	8450%	8500%	8550%	8600%	8650%	8700%	8750%	8800%	8850%	8900%	8950%	9000%	9050%	9100%	9150%	9200%	9250%	9300%	9350%	9400%	9450%	9500%	9550%	9600%	9650%	9700%	9750%	9800%	9850%	9900%	9950%	10000%
ACRY-30RD	25%	33%	41%	50%	60%	70%	80%	90%	100%	110%	125%	150%	175%	200%	250%	300%	350%	400%	450%	500%	550%	600%	650%	700%	750%	800%	850%	900%	950%	1000%	1050%	1100%	1150%	1200%	1250%	1300%	1350%	1400%	1450%	1500%	1550%	1600%	1650%	1700%	1750%	1800%	1850%	1900%	1950%	2000%	2050%	2100%	2150%	2200%	2250%	2300%	2350%	2400%	2450%	2500%	2550%	2600%	2650%	2700%	2750%	2800%	2850%	2900%	2950%	3000%	3050%	3100%	3150%	3200%	3250%	3300%	3350%	3400%	3450%	3500%	3550%	3600%	3650%	3700%	3750%	3800%	3850%	3900%	3950%	4000%	4050%	4100%	4150%	4200%	4250%	4300%	4350%	4400%	4450%	4500%	4550%	4600%	4650%	4700%	4750%	4800%	4850%	4900%	4950%	5000%	5050%	5100%	5150%	5200%	5250%	5300%	5350%	5400%	5450%	5500%	5550%	5600%	5650%	5700%	5750%	5800%	5850%	5900%	5950%	6000%	6050%	6100%	6150%	6200%	6250%	6300%	6350%	6400%	6450%	6500%	6550%	6600%	6650%	6700%	6750%	6800%	6850%	6900%	6950%	7000%	7050%	7100%	7150%	7200%	7250%	7300%	7350%	7400%	7450%	7500%	7550%	7600%	7650%	7700%	7750%	7800%	7850%	7900%	7950%	8000%	8050%	8100%	8150%	8200%	8250%	8300%	8350%	8400%	8450%	8500%	8550%	8600%	8650%	8700%	8750%	8800%	8850%	8900%	8950%	9000%	9050%	9100%	9150%	9200%	9250%	9300%	9350%	9400%	9450%	9500%	9550%	9600%	9650%	9700%	9750%	9800%	9850%	9900%	9950%	10000%
ACRY-50RD	25%	33%	41%	50%	60%	70%	80%	90%	100%	110%	125%	150%	175%	200%	250%	300%	350%	400%	450%	500%	550%	600%	650%	700%	750%	800%	850%	900%	950%	1000%	1050%	1100%	1150%	1200%	1250%	1300%	1350%	1400%	1450%	1500%	1550%	1600%	1650%	1700%	1750%	1800%	1850%	1900%	1950%	2000%	2050%	2100%	2150%	2200%	2250%	2300%	2350%	2400%	2450%	2500%	2550%	2600%	2650%	2700%	2750%	2800%	2850%	2900%	2950%	3000%	3050%	3100%	3150%	3200%	3250%	3300%	3350%	3400%	3450%	3500%	3550%	3600%	3650%	3700%	3750%	3800%	3850%	3900%	3950%	4000%	4050%	4100%	4150%	4200%	4250%	4300%	4350%	4400%	4450%	4500%	4550%	4600%	4650%	4700%	4750%	4800%	4850%	4900%	4950%	5000%	5050%	5100%	5150%	5200%	5250%	5300%	5350%	5400%	5450%	5500%	5550%	5600%	5650%	5700%	5750%	5800%	5850%	5900%	5950%	6000%	6050%	6100%	6150%	6200%	6250%	6300%	6350%	6400%	6450%	6500%	6550%	6600%	6650%	6700%	6750%	6800%	6850%	6900%	6950%	7000%	7050%	7100%	7150%	7200%	7250%	7300%	7350%	7400%	7450%	7500%	7550%	7600%	7650%	7700%	7750%	7800%	7850%	7900%	7950%	8000%	8050%	8100%	8150%	8200%	8250%	8300%	8350%	8400%	8450%	8500%	8550%	8600%	8650%	8700%	8750%	8800%	8850%	8900%	8950%	9000%	9050%	9100%	9150%	9200%	9250%	9300%	9350%	9400%	9450%	9500%	9550%	9600%	9650%	9700%	9750%	9800%	9850%	9900%	9950%	10000%
ACRY-70RD	25%	33%	41%	50%	60%	70%	80%	90%	100%	110%	125%	150%	175%	200%	250%	300%	350%	400%	450%	500%	550%	600%	650%	700%	750%	800%	850%	900%	950%	1000%	1050%	1100%	1150%	1200%	1250%	1300%	1350%	1400%	1450%	1500%	1550%	1600%	1650%	1700%	1750%	1800%	1850%	1900%	1950%	2000%	2050%	2100%	2150%	2200%	2250%	2300%	2350%	2400%	2450%	2500%	2550%	2600%	2650%	2700%	2750%	2800%	2850%	2900%	2950%	3000%	3050%	3100%	3150%	3200%	3250%	3300%	3350%	3400%	3450%	3500%	3550%	3600%	3650%	3700%	3750%	3800%	3850%	3900%	3950%	4000%	4050%	4100%	4150%	4200%	4250%	4300%	4350%	4400%	4450%	4500%	4550%	4600%	4650%	4700%	4750%	4800%	4850%	4900%	4950%	5000%	5050%	5100%	5150%	5200%	5250%	5300%	5350%	5400%	5450%	5500%	5550%	5600%	5650%	5700%	5750%	5800%	5850%	5900%	5950%	6000%	6050%	6100%	6150%	6200%	6250%	6300%	6350%	6400%	6450%	6500%	6550%	6600%	6650%	6700%	6750%	6800%	6850%	6900%	6950%	7000%	7050%	7100%	7150%	7200%	7250%	7300%	7350%	7400%	7450%	7500%	7550%	7600%	7650%	7700%	7750%	7800%	7850%	7900%	7950%	8000%	8050%	8100%	8150%	8200%	8250%	8300%	8350%	8400%	8450%	8500%	8550%	8600%	8650%	8700%	8750%	8800%	8850%	8900%	8950%	9000%	9050%	9100%	9150%	9200%	9250%	9300%	9350%	9400%	9450%	9500%	9550%	9600%	9650%	9700%	9750%	9800%	9850%	9900%	9950%	10000%
ACRY-100RD	25%	33%	41%	50%	60%	70%	80%	90%	100%	110%	125%	150%	175%	200%	250%	300%	350%	400%	450%	500%	550%	600%	650%	700%	750%	800%	850%	900%	950%	1000%	1050%	1100%	1150%	1200%	1250%	1300%	1350%	1400%	1450%	1500%	1550%	1600%	1650%	1700%	1750%	1800%	1850%	1900%	1950%	2000%	2050%	2100%	2150%	2200%	2250%	2300%	2350%	2400%	2450%	2500%	2550%	2600%	2650%	2700%	2750%	2800%	2850%	2900%	2950%	3000%	3050%	3100%	3150%	3200%	3250%	3300%	3350%	3400%	3450%	3500%	3550%	3600%	3650%	3700%	3750%	3800%	3850%	3900%	3950%	4000%	4050%	4100%	4150%	4200%	4250%	4300%	4350%	4400%	4450%	4500%	4550%	4600%	4650%	4700%	4750%	4800%	4850%	4900%	4950%	5000%	5050%	5100%	5150%	5200%	5250%	5300%	5350%	5400%	5450%	5500%	5550%	5600%	5650%	5700%	5750%	5800%	5850%	5900%	5950%	6000%	6050%	6100%	6150%	6200%	6250%	6300%	6350%	6400%	6450%	6500%	6550%	6600%	6650%	6700%	6750%	6800%	6850%	6900%	6950%	7000%	7050%	7100%	7150%	7200%	7250%	7300%	7350%	7400%	7450%	7500%	7550%	7600%	7650%	7700%	7750%	7800%	7850%	7900%	7950%	8000%	8050%	8100%	8150%	8200%	8250%	8300%	8350%	8400%	8450%	8500%	8550%	8600%	8650%	8700%	8750%	8800%	8850%	8900%	8950%	9000%	9050%	9100%	9150%	9200%	9250%	9300%	9350%	9400%	9450%	9500%	9550%	9600%	9650%	9700%	9750%	9800%	9850%	9900%	9950%	10000%
ACRY-150RD	25%	33%	41%	50%	60%	70%	80%	90%	100%	110%	125%	150%	175%	200%	250%	300%	350%	400%	450%	500%	550%	600%	650%	700%	750%	800%	850%	900%	950%	1000%	1050%	1100%	1150%	1200%	1250%	1300%	1350%	1400%	1450%	1500%	1550%	1600%	1650%	1700%	1750%	1800%	1850%	1900%	1950%	2000%	2050%	2100%	2150%	2200%	2250%	2300%	2350%	2400%	2450%	2500%	2550%	2600%	2650%	2700%	2750%	2800%	2850%	2900%	2950%	3000%	3050%	3100%	3150%	3200%	3250%	3300%	3350%	3400%	3450%	3500%	3550%	3600%	3650%	3700%	3750%	3800%	3850%	3900%	3950%	4000%	4050%	4100%	4150%	4200%	4250%	4300%	4350%	4400%	4450%	4500%	4550%	4600%	4650%	4700%	4750%	4800%	4850%	4900%	4950%	5000%	5050%	5100%	5150%	5200%	5250%	5300%	5350%	5400%	5450%	5500%	5550%	5600%	5650%	5700%	5750%	5800%	5850%	5900%	5950%	6000%	6050%	6100%																																																																														

### Vernado—The O. A.

[illegible]

Weather King—We  
WIK200 78 78  
WIK200 78 78

[illegible]

## Weathermaker—Ca

Model	Capacity	Bar. Cycle	Bar. Cycle	Carrier	Air	Access. Hermetic	2 1/2 %	1750	Planned Coil	Air	4.28	C-500	No	Yes	2	Disposable	1	1200
Model	Capacity	Bar. Cycle	Bar. Cycle	Carrier	Air	Access. Hermetic	2 1/2 %	1750	Planned Coil	Air	8.15	B-12	No	Yes	2	Disposable	1	5000
2-77	28,000	1-1	1-1	1	3	Accen. Hermetic	2	1750	Planned Coil	Air	4.28	C-500	No	Yes	2	Disposable	1	1200
2-78	28,000	1-1	1-1	1	3	Accen. Hermetic	2	1750	Planned Coil	Air	4.28	C-500	No	Yes	2	Disposable	1	1200
2-79	28,000	1-1	1-1	1	3	Accen. Hermetic	2	1750	Planned Coil	Air	4.28	C-500	No	Yes	2	Disposable	1	1200
2-80	28,000	1-1	1-1	1	3	Accen. Hermetic	2	1750	Planned Coil	Air	4.28	C-500	No	Yes	2	Disposable	1	1200
2-81	28,000	1-1	1-1	1	3	Accen. Hermetic	2	1750	Planned Coil	Air	4.28	C-500	No	Yes	2	Disposable	1	1200
2-82	28,000	1-1	1-1	1	3	Accen. Hermetic	2	1750	Planned Coil	Air	4.28	C-500	No	Yes	2	Disposable	1	1200
2-83	28,000	1-1	1-1	1	3	Accen. Hermetic	2	1750	Planned Coil	Air	4.28	C-500	No	Yes	2	Disposable	1	1200
2-84	28,000	1-1	1-1	1	3	Accen. Hermetic	2	1750	Planned Coil	Air	4.28	C-500	No	Yes	2	Disposable	1	1200
2-85	28,000	1-1	1-1	1	3	Accen. Hermetic	2	1750	Planned Coil	Air	4.28	C-500	No	Yes	2	Disposable	1	1200
2-86	28,000	1-1	1-1	1	3	Accen. Hermetic	2	1750	Planned Coil	Air	4.28	C-500	No	Yes	2	Disposable	1	1200
2-87	28,000	1-1	1-1	1	3	Accen. Hermetic	2	1750	Planned Coil	Air	4.28	C-500	No	Yes	2	Disposable	1	1200
2-88	28,000	1-1	1-1	1	3	Accen. Hermetic	2	1750	Planned Coil	Air	4.28	C-500	No	Yes	2	Disposable	1	1200
2-89	28,000	1-1	1-1	1	3	Accen. Hermetic	2	1750	Planned Coil	Air	4.28	C-500	No	Yes	2	Disposable	1	1200
2-90	28,000	1-1	1-1	1	3	Accen. Hermetic	2	1750	Planned Coil	Air	4.28	C-500	No	Yes	2	Disposable	1	1200
2-91	28,000	1-1	1-1	1	3	Accen. Hermetic	2	1750	Planned Coil	Air	4.28	C-500	No	Yes	2	Disposable	1	1200
2-92	28,000	1-1	1-1	1	3	Accen. Hermetic	2	1750	Planned Coil	Air	4.28	C-500	No	Yes	2	Disposable	1	1200
2-93	28,000	1-1	1-1	1	3	Accen. Hermetic	2	1750	Planned Coil	Air	4.28	C-500	No	Yes	2	Disposable	1	1200
2-94	28,000	1-1	1-1	1	3	Accen. Hermetic	2	1750	Planned Coil	Air	4.28	C-500	No	Yes	2	Disposable	1	1200
2-95	28,000	1-1	1-1	1	3	Accen. Hermetic	2	1750	Planned Coil	Air	4.28	C-500	No	Yes	2	Disposable	1	1200
2-96	28,000	1-1	1-1	1	3	Accen. Hermetic	2	1750	Planned Coil	Air	4.28	C-500	No	Yes	2	Disposable	1	1200
2-97	28,000	1-1	1-1	1	3	Accen. Hermetic	2	1750	Planned Coil	Air	4.28	C-500	No	Yes	2	Disposable	1	1200
2-98	28,000	1-1	1-1	1	3	Accen. Hermetic	2	1750	Planned Coil	Air	4.28	C-500	No	Yes	2	Disposable	1	1200
2-99	28,000	1-1	1-1	1	3	Accen. Hermetic	2	1750	Planned Coil	Air	4.28	C-500	No	Yes	2	Disposable	1	1200
TOTAL																		

**Weathertron—General**  
**WTM-C** 74

[illegible]Westinghouse—We  
HP-100 741[illegible]

Yorkshire—York Co.

[illegible]

## Room Air Conditioners—Self Contained

### Room Cooler

Cabinet Dimensions (In.)				Controls				Air Capacities (C.F.M.)				Electrical Characteristics				Refrigerant				Fan		Call (rows)		List	
Model No.	Height	Width	Depth	Closing Adapter	Control Type	Cooling	Heating	Choc.	Fresh	Exhaust	Volts	Amps.	Watts	Power Factor %	Type	Chg. (oz.)	No.	Type	Dimensions	R.p.m.	Condenser R.p.m.	Evap. (cu. in.)	Net Weight	Price	
Admiral—Midwest Mfg. Corp., Galesburg, Ill.																									
14	25 1/2	37 1/2	24	No	Exposed Knob	6,800	—	500	—	—	115	7.5	825	95	R-22	18	1	1725	Disposable	11 1/2 x 1 1/2 x 1 1/2	1100	Same Motor	3	184	
14	25 1/2	37 1/2	24	No	Exposed Knob	6,800	—	500	0-63	60	115	7.5	875	95	R-22	18	1	1725	Permanent	11 1/2 x 1 1/2 x 1 1/2	1100	Same Motor	3	184	
14	25 1/2	37 1/2	24	No	Exposed Knob	8,200	—	500	0-75	70	115	12.0	1200	94	R-22	19	1	1725	Permanent	11 1/2 x 1 1/2 x 1 1/2	1300/1000	Same Motor	3	148	
14	25 1/2	37 1/2	24	No	Exposed Knob	8,200	—	500	—	—	115	12.0	1200	94	R-22	19	1	1725	Permanent	11 1/2 x 1 1/2 x 1 1/2	1000	Same Motor	3	147	
14	25 1/2	37 1/2	24	No	Exposed Knob	8,200	—	500	0-75	70	115	12.0	1250	98	R-22	19	1	1725	Permanent	11 1/2 x 1 1/2 x 1 1/2	1000/900	Same Motor	3	146	
14	25 1/2	37 1/2	24	No	Exposed Knob	8,200	—	500	0-70	70	115	12.0	1400	98	R-22	24	1	1725	Permanent	11 1/2 x 1 1/2 x 1 1/2	1100	Same Motor	3	175	
14	25 1/2	37 1/2	24	Opt.	Concealed Knob	10,500	—	510	—	—	115	12.0	1400	98	R-22	24	1	1725	Permanent	11 1/2 x 1 1/2 x 1 1/2	1100/900	Same Motor	3	175	
14	25 1/2	37 1/2	24	Opt.	Concealed Knob	10,500	—	510	0-75	75	115	12.0	1600	98	R-22	24	1	1725	Permanent	11 1/2 x 1 1/2 x 1 1/2	1100/900	Same Motor	3	175	
14	25 1/2	37 1/2	24	No	Exposed Knob	12,500	—	510	—	—	115	12.0	1600	98	R-22	24	1	1725	Permanent	11 1/2 x 1 1/2 x 1 1/2	1075/950	Same Motor	3	188	
14	25 1/2	37 1/2	24	No	Exposed Knob	14,000	—	530	0-100	100	115	12.0	2500	94	R-12	30	1	1725	Wellable	10 1/2 x 1 1/2 x 1 1/2	1050/900	Same Motor	4	200	
14	25 1/2	37 1/2	24	No	Exposed Knob	4,300	—	175	—	—	115	7.5	800	94	R-12	30	1	1725	Wellable	8 1/2 x 1 1/2 x 1 1/2	1050/900	Same Motor	4	200	

Rated under AHT class

[illegible]

100C-2M  
100C-2M  
100C-2M

[illegible]

NE-006  
15







## Room Coolers

## Room Coolers

Model No.	Height	Width	Depth	Max. Frig.	Material	Climate	Control	Capacity (B.t.u.)	Capacity (C.F.M.)	Volts	Amps.	Watts	Factor %	Type	Watts	Factor %	Refrigerant	Compressor	Cyl.	R.P.M.	Type	Capacity (C.F.M.)	Dimensions	Exhaust	Motor	Weight	Price
Frigidaire—Frigidaire Div., General Motors Corp., Dayton																											
AP-100-58	20 1/2	20 1/2	13 1/2	150	Steel, plastic	Yes	Exposed	8,000	200/220	115	5.7	1,270	90/91	Reversible	1,270	90/91	R-22	100/1	1725	1725	F-22	17	10 1/2 x 14 1/2 x 13 1/2	Discharge	Same Motor	118	—
AP-100-58	20 1/2	20 1/2	13 1/2	150	Steel, plastic	Yes	Exposed	8,000	200/220	115	5.7	1,270	90/91	Reversible	1,270	90/91	R-22	100/1	1725	1725	F-22	17	10 1/2 x 14 1/2 x 13 1/2	Discharge	Same Motor	118	—
AP-100-58	20 1/2	20 1/2	13 1/2	150	Steel, plastic	Yes	Exposed	8,000	200/220	115	5.7	1,270	90/91	Reversible	1,270	90/91	R-22	100/1	1725	1725	F-22	17	10 1/2 x 14 1/2 x 13 1/2	Discharge	Same Motor	118	—
AP-100-58	20 1/2	20 1/2	13 1/2	150	Steel, plastic	Yes	Exposed	8,000	200/220	115	5.7	1,270	90/91	Reversible	1,270	90/91	R-22	100/1	1725	1725	F-22	17	10 1/2 x 14 1/2 x 13 1/2	Discharge	Same Motor	118	—
General Electric—General Electric Co., Louisville, Ky.																											
RE-100	20 1/2	20 1/2	13 1/2	150	Steel	No	Concealed	8,000	200/220	115	5.7	1,270	90/91	Reversible	1,270	90/91	R-22	100/1	1725	1725	F-22	17	10 1/2 x 14 1/2 x 13 1/2	Discharge	Same Motor	118	—
RE-100	20 1/2	20 1/2	13 1/2	150	Steel	No	Concealed	8,000	200/220	115	5.7	1,270	90/91	Reversible	1,270	90/91	R-22	100/1	1725	1725	F-22	17	10 1/2 x 14 1/2 x 13 1/2	Discharge	Same Motor	118	—
RE-100	20 1/2	20 1/2	13 1/2	150	Steel	No	Concealed	8,000	200/220	115	5.7	1,270	90/91	Reversible	1,270	90/91	R-22	100/1	1725	1725	F-22	17	10 1/2 x 14 1/2 x 13 1/2	Discharge	Same Motor	118	—
RE-100	20 1/2	20 1/2	13 1/2	150	Steel	No	Concealed	8,000	200/220	115	5.7	1,270	90/91	Reversible	1,270	90/91	R-22	100/1	1725	1725	F-22	17	10 1/2 x 14 1/2 x 13 1/2	Discharge	Same Motor	118	—
Gibson—Gibson Refrigerator Co., Greenville, Mich.																											
1-801	20 1/2	20 1/2	13 1/2	150	Steel	No	Exposed	8,000	200/220	115	5.7	1,270	90/91	Reversible	1,270	90/91	R-22	100/1	1725	1725	F-22	17	10 1/2 x 14 1/2 x 13 1/2	Discharge	Same Motor	118	—
1-801	20 1/2	20 1/2	13 1/2	150	Steel	No	Exposed	8,000	200/220	115	5.7	1,270	90/91	Reversible	1,270	90/91	R-22	100/1	1725	1725	F-22	17	10 1/2 x 14 1/2 x 13 1/2	Discharge	Same Motor	118	—
1-801	20 1/2	20 1/2	13 1/2	150	Steel	No	Exposed	8,000	200/220	115	5.7	1,270	90/91	Reversible	1,270	90/91	R-22	100/1	1725	1725	F-22	17	10 1/2 x 14 1/2 x 13 1/2	Discharge	Same Motor	118	—
1-801	20 1/2	20 1/2	13 1/2	150	Steel	No	Exposed	8,000	200/220	115	5.7	1,270	90/91	Reversible	1,270	90/91	R-22	100/1	1725	1725	F-22	17	10 1/2 x 14 1/2 x 13 1/2	Discharge	Same Motor	118	—
Hotpoint—Hotpoint Co., Chicago																											
7A-100	20 1/2	20 1/2	13 1/2	150	Steel	Yes	Exposed	8,000	200/220	115	5.7	1,270	90/91	Reversible	1,270	90/91	R-22	100/1	1725	1725	F-22	17	10 1/2 x 14 1/2 x 13 1/2	Discharge	Same Motor	118	—
7A-100	20 1/2	20 1/2	13 1/2	150	Steel	Yes	Exposed	8,000	200/220	115	5.7	1,270	90/91	Reversible	1,270	90/91	R-22	100/1	1725	1725	F-22	17	10 1/2 x 14 1/2 x 13 1/2	Discharge	Same Motor	118	—
7A-100	20 1/2	20 1/2	13 1/2	150	Steel	Yes	Exposed	8,000	200/220	115	5.7	1,270	90/91	Reversible	1,270	90/91	R-22	100/1	1725	1725	F-22	17	10 1/2 x 14 1/2 x 13 1/2	Discharge	Same Motor	118	—
7A-100	20 1/2	20 1/2	13 1/2	150	Steel	Yes	Exposed	8,000	200/220	115	5.7	1,270	90/91	Reversible	1,270	90/91	R-22	100/1	1725	1725	F-22	17	10 1/2 x 14 1/2 x 13 1/2	Discharge	Same Motor	118	—
In-Wall—W. Air Conditioning Corp., Bronx, N. Y.																											
7-115-117	20 1/2	20 1/2	13 1/2	150	Steel	Yes	Exposed	8,000	200/220	115	5.7	1,270	90/91	Reversible	1,270	90/91	R-22	100/1	1725	1725	F-22	17	10 1/2 x 14 1/2 x 13 1/2	Discharge	Same Motor	118	—
7-115-117	20 1/2	20 1/2	13 1/2	150	Steel	Yes	Exposed	8,000	200/220	115	5.7	1,270	90/91	Reversible	1,270	90/91	R-22	100/1	1725	1725	F-22	17	10 1/2 x 14 1/2 x 13 1/2	Discharge	Same Motor	118	—
7-115-117	20 1/2	20 1/2	13 1/2	150	Steel	Yes	Exposed	8,000	200/220	115	5.7	1,270	90/91	Reversible	1,270	90/91	R-22	100/1	1725	1725	F-22	17	10 1/2 x 14 1/2 x 13 1/2	Discharge	Same Motor	118	—
7-115-117	20 1/2	20 1/2	13 1/2	150	Steel	Yes	Exposed	8,000	200/220	115	5.7	1,270	90/91	Reversible	1,270	90/91	R-22	100/1	1725	1725	F-22	17	10 1/2 x 14 1/2 x 13 1/2	Discharge	Same Motor	118	—
Kauffman—Kauffman Air Conditioning Co., St. Louis																											
7-115-117	20 1/2	20 1/2	13 1/2	150	Steel	Yes	Exposed	8,000	200/220	115	5.7	1,270	90/91	Reversible	1,270	90/91	R-22	100/1	1725	1725	F-22	17	10 1/2 x 14 1/2 x 13 1/2	Discharge	Same Motor	118	—
7-115-117	20 1/2	20 1/2	13 1/2	150	Steel	Yes	Exposed	8,000	200/220	115	5.7	1,270	90/91	Reversible	1,270	90/91	R-22	100/1	1725	1725	F-22	17	10 1/2 x 14 1/2 x 13 1/2	Discharge	Same Motor	118	—
7-115-117	20 1/2	20 1/2	13 1/2	150	Steel	Yes	Exposed	8,000	200/220	115	5.7	1,270	90/91	Reversible	1,270	90/91	R-22	100/1	1725	1725	F-22	17	10 1/2 x 14 1/2 x 13 1/2	Discharge	Same Motor	118	—
7-115-117	20 1/2	20 1/2	13 1/2	150	Steel	Yes	Exposed	8,000	200/220	115	5.7	1,270	90/91	Reversible	1,270	90/91	R-22	100/1	1725	1725	F-22	17	10 1/2 x 14 1/2 x 13 1/2	Discharge	Same Motor	118	—
Kelvinator and Leonard—Kelvinator Div., American Motors Corp., Detroit																											
7-115-117	20 1/2	20 1/2	13 1/2	150	Steel	Yes	Exposed	8,000	200/220	115	5.7	1,270	90/91	Reversible	1,270	90/91	R-22	100/1	1725	1725	F-22	17	10 1/2 x 14 1/2 x 13 1/2	Discharge	Same Motor	118	—
7-115-117	20 1/2	20 1/2	13 1/2	150	Steel	Yes	Exposed	8,000	200/220	115	5.7	1,270	90/91	Reversible	1,270	90/91	R-22	100/1	1725	1725	F-22	17	10 1/2 x 14 1/2 x 13 1/2	Discharge	Same Motor	118	—
7-115-117	20 1/2	20 1/2	13 1/2	150	Steel	Yes	Exposed	8,000	200/220	115	5.7	1,270	90/91	Reversible	1,270	90/91	R-22	100/1	1725	1725	F-22	17	10 1/2 x 14 1/2 x 13 1/2	Discharge	Same Motor	118	—
7-115-117	20 1/2	20 1/2	13 1/2	150	Steel	Yes	Exposed	8,000	200/220	115	5.7	1,270	90/91	Reversible	1,270	90/91	R-22	100/1	1725	1725	F-22	17	10 1/2 x 14 1/2 x 13 1/2	Discharge	Same Motor	118	—
King—King Refrigerator Corp., Glendale, L. I., N. Y.																											
7-115-117	20 1/2	20 1/2	13 1/2	150	Steel	Yes	Exposed	8,000	200/220	115	5.7	1,270	90/91	Reversible	1,270	90/91	R-22	100/1	1725	1725	F-22	17	10 1/2 x 14 1/2 x 13 1/2	Discharge	Same Motor	118	—
7-115-117	20 1/2	20 1/2	13 1/2	150	Steel	Yes	Exposed	8,000	200/220	115	5.7	1,270	90/91	Reversible	1,270	90/91	R-22	100/1	1725	1725	F-22	17	10 1/2 x 14 1/2 x 13 1/2	Discharge	Same Motor	118	—
7-115-117	20 1/2	20 1/2	13 1/2	150	Steel	Yes	Exposed	8,000	200/220	115	5.7	1,270	90/91	Reversible	1,270	90/91	R-22	100/1	1725	1725	F-22	17	10 1/2 x 14 1/2 x 13 1/2	Discharge	Same Motor	118	—
7-115-117	20 1/2	20 1/2	13 1/2	150	Steel	Yes	Exposed	8,000	200/220	115	5.7	1,270	90/91	Reversible	1,270	90/91	R-22	100/1	1725	1725	F-22	17	10 1/2 x 14 1/2 x 13 1/2	Discharge	Same Motor	118	—
Kool-a-Bout—Whitehall Engineering Co., Chicago																											
7-115-117	20 1/2	20 1/2	13 1/2	150	Steel	Yes	Exposed	8,000	200/220	115	5.7	1,270	90/91	Reversible	1,270	90/91	R-22	100/1	1725	1725	F-22	17	10 1/2 x 14 1/2 x 13 1/2	Discharge	Same Motor	118	—
7-115-117	20 1/2	20 1/2	13 1/2	150	Steel	Yes	Exposed	8,000	200/220	115	5.7	1,270	90/91	Reversible	1,270	90/91	R-22	100/1	1725	1725	F-22	17	10 1/2 x 14 1/2 x 13 1/2	Discharge	Same Motor	118	—
7-115-117	20 1/2	20 1/2	13 1/2	150	Steel	Yes	Exposed	8,000	200/220	115	5.7	1,270	90/91	Reversible	1,270	90/91	R-22	100/1	1725	1725	F-22	17	10 1/2 x 14 1/2 x 13 1/2	Discharge	Same Motor	118	—
7-115-117	20 1/2	20 1/2	13 1/2	150	Steel	Yes	Exposed	8,000	200/220	115	5.7	1,270	90/91	Reversible	1,270	90/91	R-22	100/1	1725	1725	F-22	17	10 1/2 x 14 1/2 x 13 1/2	Discharge	Same Motor	118	—
Manning-Bowman—Lengman Cooler Div., McGraw-Edison Co., Albany, Mich.																											
7-115-117	20 1/2	20 1/2	13 1/2	150	Steel	Yes	Exposed	8,000	200/220	115	5.7	1,270	90/91	Reversible	1,270	90/91	R-22	100/1	1725	1725	F-22	17	10 1/2 x 14 1/2 x 13 1/2	Discharge	Same Motor	118	—
7-115-117	20 1/2	20 1/2	13 1/2	150	Steel	Yes	Exposed	8,000	200/220	115	5.7	1															







## Room Coolers

[illegible]



## Residential

[illegible]



## Residential

[illegible][illegible]







## Residential

[illegible]



## Residential

[illegible]

**Lennox—Lennox**

[illegible]

## Luxaire—The C.

[illegible]

## IV-2

10-3	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25</
------	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	------

LA 4022  
LA 4022-A-1  
LA 4067

[illegible]



## Residential

[illegible]

evap. 20 25 30 35 40 45 50 55 60 65 70 75 80 85 90 95 100

\*Without cabinet, blower, or plenum. †Data on 48° evaporators. Also available in double A and single flat evaporators. Shipping weight.







## Residential

Model No.		Cabinet Dimensions (HxWxD)		Capacity (B.t.h.)	Coil Heating Type	Compressor Motor Phase Volts	Compressor	Hp.	Cooling Method	Type	Cyls.	Stroke (In.)	R.p.m.	Condenser Type	Expander (R.p.m.)	Refrigerant Charge (Lbs.)	Factory Charge	Control Temp.	Air Filter Type	Dimensions (HxWxD)	Blowers In Unit	No. R.P.M.	Net Weight (Lbs.)	Water Usage (Gals./Day)
Sequoia—Sequoia Mfg. Co., San Carlos, Calif.																								
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24					



